


MIRA R

Omar Carraglia / 2015




A tool to light.

The luminaire is pure form, a simple container for the light source. Light is incorporated into the space, becoming an architectural element.




MIRA R

Omar Carraglia / 2015

Recessed / Direct / Indoor			
Material	Metal		
Finish	.03 Matt White	.04 Matt Black	.49 Matt Black/Polished Gold
Note	Recessed luminaire. Adjustable in all directions. Plasterboard hole: 1.57"x1.57". Minimum space for recessed installation: 3.35".		

	MIRA R 5,6W Max 500mA DC 2700K - 327lm / 3000K - 352lm CRI >90 Driver not included 	Matt White - 2700K Matt White - 3000K Matt Black - 2700K Matt Black - 3000K Matt Black/Polished Gold - 2700K Matt Black/Polished Gold - 3000K	1A3690303.27.20 1A3690303.30.20 1A3690403.27.20 1A3690403.30.20 1A3694903.27.20 1A3694903.30.20
---	---	--	--

Compulsory accessories

	Driver	Not included
	220-240V(100-127V) 500mA/20W(15W)/IP20/DALI	1Z0241180.500
	Driver	Not included
	220-240V(100-127V) 500mA/20W(15W)/IP20/PUSH - 1-10V	1Z0240870.500
	Driver	Not included
	120-277V 500mA/30W/IP20/TRIAC - 1-10V	1Z2020050.500

The sizes are expressed in inches.



