


# shiloori

Design by  
Kateřina Handlová



loomma

bomma.cz

TECHNICAL SHEET


# SHIBARI pendant

## 1 position

Design by  
Kateřina Handlová

### Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.



### LIGHTING DESCRIPTION

Size	dia. 180mm, H 700 mm dia. 7,1 inch, H 27,6 inch
Cable	black, white 2,5 m / 98,4 inch
Weight	+ - 5 kg / 11 lb
Glass	mouth-blown lead-free crystal in clear
Mounting Materials	black (brass with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

### LIGHT SOURCE

Type	T30 x 300, 5W LED, 380 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 6,5W
Temperature	2700 K
Color index	RA 90+

Dimming  
Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

### PACKAGING

Material	Cardboard
Size	800 × 450 × 450 mm 31,5 × 17,7 × 17,7 inch


Origin: traditionally produced in the Czech Republic  
Intellectual property license holder: Bomma Czech Republic (EU)  
Represented by BMRC group s.r.o.

CERTIFICATES



# shiloori

Design by  
Kateřina Handlová



bomma

bomma.cz

TECHNICAL SHEET


# SHIBARI pendant

## 3 position

Design by  
Kateřina Handlová

### Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.



### LIGHTING DESCRIPTION

Size	3 × dia. 180mm, H 700 mm 3 × dia. 7,1 inch, H 27,6 inch
Cable	3 × black, white 2,5 m / 98,4 inch
Weight	+ - 15 kg / 33 lb
Glass	mouth-blown lead-free crystal in clear
Mounting Materials	black (brass with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

### LIGHT SOURCE 1x

Type	T30 x 300, 5W LED, 380 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 6,5W
Temperature	2700 K
Color index	RA 90+

Dimming  
Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

### PACKAGING

Material	Cardboard
Size	810 × 1370 × 450 mm 31,8 × 53,9 × 17,7 inch


Origin: traditionally produced in the Czech Republic  
Intellectual property license holder: Bomma Czech Republic (EU)  
Represented by BMRC group s.r.o.

CERTIFICATES



# shiloori

Design by  
Kateřina Handlová



loomma

bomma.cz


TECHNICAL SHEET

# SHIBARI pendant 5 position

Design by  
Kateřina Handlová

## Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.



## LIGHTING DESCRIPTION

Size	5 × dia. 180mm, H 700 mm 5 × dia. 7,1 inch, H 27,6 inch
Cable	5 × black, white 2,5 m / 98,4 inch
Weight	+ - 25 kg / 55 lb
Glass	mouth-blown lead-free crystal in clear
Mounting Materials	black (brass with black powder coating)
Protection	IP 20
Nominal voltage	220-240V / A.C. 50 hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

## LIGHT SOURCE 5x

Type	T30 x 300, 5W LED, 380 lm
Base	E27 (EU) / E26 (USA)
Wattage	max. 6,5W
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC ; on demand dimmable with DALI, RF/WIFI, for information on dimming with other systems please contact your Bomma partner.

## PACKAGING

Material	Cardboard
Size	5x 800 × 450 × 450 mm 5x 31,5 × 17,7 × 17,7 inch

Origin: traditionally produced in the Czech Republic  
Intellectual property license holder: Bomma Czech Republic (EU)  
Represented by BMRC group s.r.o.

CERTIFICATES

