

LA ROCHE

Le Corbusier

The first wall lamp designed by Le Corbusier in 1925, originally thought to enlighten the large windows of Villa La Roche, a manifesto of purist architecture. Nemo edits La Roche enhancing its lightness and functionality: a matte metal frame and an opal glass diffuser for soft lighting.



INDOOR IP20 | 2700K

LAMPING

| | |
|-----------------------|--|
| Source | LED board |
| Total power | 10W |
| Emission | diffused |
| Switching | dimmable TRIAC |
| Tension | 230V |
| Color temperature led | 2700K |
| Luminous flux led | 925lm |
| Typ CRI | 85 |
| Ip class | 20 |
| Dimensions | Ø4,5x37x7 |
| Materials | aluminum |
| Notes | available also in 120V, grey RAL7046, black RAL7021. |

Net lamp weight

2 kg

Codes

ROC LDW 31

ROC LNW 31

Structure

grey


black

PACKAGE

Package 01

Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



INDOOR IP20 | 3000K

LAMPING

| | |
|-----------------------|--|
| Source | LED board |
| Total power | 10W |
| Emission | diffused |
| Switching | dimmable TRIAC |
| Tension | 230V |
| Color temperature led | 3000K |
| Luminous flux led | 925lm |
| Typ CRI | 85 |
| Ip class | 20 |
| Dimensions | Ø4,5x37x7 |
| Materials | aluminium |
| Notes | available also in 120V, grey RAL7046, black RAL7021. |

Net lamp weight

2 kg

Codes

ROC LN3 31

ROC LD3 31

Structure

black


grey

PACKAGE

Package 01

Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



OUTDOOR IP45 | 2700K

LAMPING

| | |
|-----------------------|--|
| Source | LED board |
| Total power | 10W |
| Emission | diffused |
| Switching | dimmable TRIAC |
| Tension | 230V |
| Color temperature led | 2700K |
| Luminous flux led | 925lm |
| Typ CRI | 85 |
| Ip class | 45 |
| Dimensions | Ø4,5x37x7 |
| Materials | aluminium |
| Notes | also available 120V, grey RAL 7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%) |
| Net lamp weight | 2 kg |

Codes

ROC LDW 33
ROC LNW 33


Structure

grey
black

PACKAGE

Package 01 Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni



OUTDOOR IP45 | 3000K

LAMPING

| | |
|-----------------------|--|
| Source | LED board |
| Total power | 10W |
| Emission | diffused |
| Switching | dimmable TRIAC |
| Tension | 230V |
| Color temperature led | 3000K |
| Luminous flux led | 925lm |
| Typ CRI | 85 |
| Ip class | 45 |
| Dimensions | Ø4,5x37x7 |
| Materials | aluminium |
| Notes | also available 120V, grey RAL 7046, black RAL7021. Suggested dimmer: VIMAR 14136.1 (dimming range: from ~45% to 100%) |

Net lamp weight 2 kg

Codes

ROC LN3 33
ROC LD3 33

Structure

black
grey

PACKAGE

Package 01 Dimension: 20x15x40 cm / Gross weight: 2,5 kg

Certificazioni

