





Floor luminaire with direct light for indoor use.	Space becomes a photography set. A place to be interpreted and transformed by light, with the same freedom and precision used to define a shot. A base, a stem and a spotlight.	The base is in textured matt black painted steel. The stem is in matt black painted steel. The spotlight is in textured matt black painted aluminium. The spotlight is adjustable in all directions and can be moved along the stem. A range of light control accessories is available.	The light source is LED with integrated module and is not included but is available as an accessory. The electric cable is matt black. The switch / dimmer is fitted on the cable. The power supply is plug-in and is included.
Apparecchio di illuminazione da terra, a luce diretta, per interni.	Lo spazio come set fotografico. Un luogo da interpretare e trasformare attraverso la luce, con la stessa libertà e precisione di chi modella un'inquadratura. Una base, uno stelo e un proiettore.	La base è in acciaio verniciata nero opaco texturizzato. Lo stelo è in acciaio verniciato nero opaco. Il proiettore è in alluminio verniciato nero opaco texturizzato. Il proiettore è orientabile in tutte le direzioni e traslabile lungo lo stelo. Sono disponibili diversi accessori per il controllo della luce.	La sorgente luminosa è a LED e a modulo integrato, non è inclusa, ma disponibile come accessorio. Il cavo elettrico è di colore nero opaco. L'interruttore / dimmer è lungo il cavo. L'alimentatore è a spina ed è incluso.




SET	Matt Black - Dimmer on board	1A6120400.00.06
Max 21W		
100-240V - 50/60Hz		
Driver with plug included		
Dimmer on board		
LED module not included		
CE IP20		

Compulsory accessories / Accessori obbligatori

LED modules / Moduli LED



DG111 LED module / Modulo LED DG111	Not included
16,7W - 22° - 500mA DC	1A3890000.27.20
2700K - 1859lm - CRI >90	
Energy Efficiency F - Dimmable	
16,7W - 22° - 500mA DC	1A3890000.30.20
3000K - 1943lm - CRI >90	
Energy Efficiency F - Dimmable	



DG111 LED module / Modulo LED DG111	Not included
16,7W - 36° - 500mA DC	1A3900000.27.20
2700K - 1795lm - CRI >90	
Energy Efficiency F - Dimmable	
16,7W - 36° - 500mA DC	1A3900000.30.20
3000K - 1890lm - CRI >90	
Energy Efficiency F - Dimmable	

Optional accessories / Accessori opzionali

Other accessories / Altri accessori



Soft filter / Filtro soft	Not included
Standard	1X0190000.03.00



Louvre 1 / Frangiluce 1	Not included
Matt Black	1X0190400.10.00




Louvre 2 / Frangiluce 2	Not included
Matt Black	1X0190400.11.00

The sizes are expressed in millimeters.

Optional accessories / Accessori opzionali

Other accessories / Altri accessori



Parabola	Not included
Matt Black	1X0190400.08.00




Snoot	Not included
Matt Black	1X0190400.09.00





Louvre 3 / Frangiluce 3		Not included
Matt Black	For Parabola - Snoot	1X0190400.12.00



Louvre 4 / Frangiluce 4			Not included
Matt Black	For Parabola - Snoot	1X0190400.13.00	



Reflector Ø80 / Riflettore Ø80	Not included
Matt White	1X0190300.04.00



SET